# durvent GROUP

## Installation Instructions Universal Gas Vent Cap

IS

Tested to: UL-441, CAN/ULC-605

LISTED

READ INSTRUCTIONS CAREFULLY BEFORE STARTING THE PROJECT. REMEMBER, SAFETY COMES FIRST. OUR VENTING SYSTEMS ARE DESIGNED FOR INSTALLATION BY A QUALIFIED PERSON IN ACCORDANCE WITH LOCAL BUILDING CODES. REFER TO THE MAIN INSTALLATION INSTRUCTIONS FOR COMPLETE DETAILS ABOUT INSTALLING THE GAS VENT SYSTEM.


### CAUTION: WEAR CUT RESISTANT GLOVES WHILE HANDLING METAL PARTS TO AVOID PERSONAL INJURY. SHARP EDGES OR PROJECTIONS CAN CUT YOU.

UL Listed Models: Duravent Models: BV. GV Hart & Cooley Models: E, R, RP Selkirk Models: BV, RV


### WARNING

Failure to follow the installation instructions could cause FIRE, CARBON MONOXIDE POISONING, OR DEATH. If you are unsure of installation requirements, call the telephone number listed on these instructions.

1. Adjust the worm gear clamp so it will fit over the outer diameter of the Gas Vent Pipe. Place the Universal Gas Vent Cap over the pipe so the brackets come in contact with the top of the pipe. Make sure the proper pipe diameter is against the bent part of the brackets. See Figure 1.



2. Ensure the Universal Gas Vent Cap is fully seated flush to the top of the Gas Vent male end. Tighten securely the worm gear clamp around the outside of the Gas Vent Pipe. See Figure 2. To remove, loosen up the worm gear clamp and lift the Universal Gas Vent Cap from the Pipe.



Model #	Description
34UGVC 34UGVC	3" - 4" Universal Gas Vent Cap
56UGVC 56UGVC	5" - 6" Universal Gas Vent Cap
78UGVC 78UGVC	7" - 8" Universal Gas Vent Cap

ATTENTION: Check the Universal Gas Vent Cap frequently for ice or creosote accumulation. Remove any blockage which has occured.

## AMERIVENT.

By duravent HART & COOLEY LLC 4460 44th Street, S.E., Suite F Grand Rapids, MI 49512 Tel: 800-423-4270 info@americanmetailproducts.com www.duravent.com www.ameri-vent.com

#### ©2024 Universal Gas Vent Cap

## durvent

DURAVENT INC. 877 Cotting Court Vacaville, CA 95688 Tel: 800-835-4429 techsupport@duravent.com HAR COOLEY.

BY duravent HART & COOLEY LLC 4460 44th Street, S.E., Suite F Grand Rapids, MI 49512 Tel: 800-565-8200 info@hartcool.com www.hartandcooley.com

### **公SELKIRK**. BY duravent

SELKIRK CANADA INC. P.O. Box 526. Depot 1. Hamilton, ON L8L 7X6 Tel: 888-735-5475 cscanada@selkirkcorp.com www.selkirkcorp.ca

## **公SELKIRK**.

BY duravent SELKIRK CORPORATION 4460 44th Street, S.E., Suite F Grand Rapids, MI 49512 Tel: 800-992-8368 info@selkirkcorp.com www.selkirkcorp.com

All rights reserved

3016612

05/08/2024

Printed in Mexico