

DON'T JUST REMOVE. EXCLUDE.™

DRAFT KING® CHIMNEY COVERS

***SINGLE FLUE // BIG TOP™ MULTI-FLUE // CUSTOM SERIES
UNIVERSAL™ SERIES // MULTI-PACKS // LINER CAPS // CUSTOM CHASE COVERS***



Draft King®

A **HYC** COMPANY



COPPER

- › Removable Hood for Easy Chimney Cleaning
- › 24-Gauge 100% Copper Hood with Scalloped Corners and Roll-Formed Edges
- › 18-Gauge 3/4" Expanded 100% Copper Mesh
- › 16-Gauge Copper Plated Stainless Steel Base for Extra Strength
- › Limited Lifetime Warranty // Made in the USA

STAINLESS STEEL

- › 100% 304 Stainless Steel
- › 24-Gauge Stainless Steel Hood with Scalloped Corners and Roll-Formed Edges
- › 18-Gauge 3/4" Expanded Stainless Steel Mesh
- › 18-Gauge 5/8" Expanded Stainless Steel Mesh // Use Only When Required by Local Codes
- › 16-Gauge Stainless Steel Base for Extra Strength
- › Available in Natural Stainless or Black Powder Coat Finish
- › Limited Warranty: Lifetime Stainless, 7-Year Black // Made in the USA

GALVANIZED STEEL



- › 24-Gauge Galvanized Steel Hood with Scalloped Corners and Roll-Formed Edges
- › 18-Gauge 3/4" Expanded Galvanized Steel Mesh
- › 18-Gauge 5/8" Expanded Galvanized Steel Mesh // Use Only When Required by Local Codes
- › 14-Gauge Galvanized Steel Base for Extra Strength
- › Attractive Black Powder Coat Finish
- › 7-Year Limited Warranty // Made in the USA

AVAILABLE FINISHES:



DRAFT KING® CHIMNEY COVER FEATURES

- › Slotted Hex-Head Stainless Steel Mounting Bolts
- › Outside Mounting Provides Greater Free Air Space for Better Draft
- › Expanded Metal Mesh Turned Inward at Base Allows Cover to Rest Firmly on Tile, Closing Gaps
- › Optional Heavy-Duty Stainless Steel Leg Kit [for chimneys with tile extending less than 1" above crown]
- › Arrests Sparks and Reduces Certain Downdrafts
- › Provides a Clean, Professional Exclusion Solution // Made in the USA



ANIMAL EXCLUSION // Single Flue Chimney Covers



DRAFT KING® // 3/4" MESH CHIMNEY COVERS

— BLACK POWDER COAT —

OUTSIDE TILE SIZE <i>L x W x H [in]</i>	FITS OUTSIDE TILE DIMENSION <i>[in]</i>	COPPER <i>Finish</i>	STAINLESS STEEL <i>Finish</i>	STAINLESS STEEL <i>Finish</i>	GALV. STEEL <i>Finish</i>	WEIGHT <i>lbs / Each</i>
5 X 9	3-½ x 7-½ to 5-½ x 9-½	•	SS59U	SS59P	CBO59	5 TO 7
9 X 9	7-½ x 7-½ to 9-½ x 9-½	CP99	SS99U	SS99P	CBO99	6-½ TO 7
9 X 13	7-½ x 11-½ to 9-½ x 13-½	CP913	SS913U	SS913P	CBO913	8 TO 8-½
9 X 18	7-½ x 16-½ to 9-¼ x 18-¼	CP918	SS918U	SS918P	CBO918	9 TO 10
11 X 11	9-¾ x 9-¾ to 12 x 12	•	SS1111U	SS1111P	CBO1111	9 TO 10
12 X 16	10 x 14 to 12-½ x 16-¼	CP1216	SS1216U	SS1216P	CBO1216	10-½ TO 12
13 X 13	11-½ x 11-½ to 13-½ x 13-½	CP1313	SS1313U	SS1313P	CBO1313	9-½ TO 10
13 X 18	11-½ x 16-½ to 13-¼ x 18-¼	CP1318	SS1318U	SS1318P	CBO1318	11 TO 12
15 X 15	13-¾ x 13-¾ to 16 x 16	•	SS1515U	SS1515P	CBO1515	11-½ TO 13-½
18 X 18	16-½ x 16-½ to 18 x 18	CP1818	SS1818U	SS1818P	CBO1818	13 TO 14-½
20 X 20	18-½ x 18-½ to 20-¼ x 20-¼	•	SS2020U	SS2020P	CBO2020	14 TO 15-½
10 ROUND SLIP-IN	9-½ to 10-½ round	•	SS811U	SS811P	CBO811	7-½ TO 8-½
12 ROUND SLIP-IN	11-½ to 12-½ round	•	SS813U	SS813P	CBO813	9-½ TO 11
14 ROUND SLIP-IN	13-½ to 14-½ round	•	SS815U	SS815P	CBO815	10 TO 11-½
16 ROUND SLIP-IN	15-½ to 16-½ round	•	SS816U	SS816P	CBO816	10-½ TO 12
18 ROUND SLIP-IN	17-½ to 18-½ round	•	SS818U	SS818P	CBO818	11 TO 12-½
8 ROUND BOLT-ON	7-½ to 8-½ round	•	SS8U	SS8P	CBO8	5-½ TO 6
10 ROUND BOLT-ON	9-½ to 10-½ round	•	SS10U	SS10P	CBO10	6 TO 6-½
12 ROUND BOLT-ON	11-½ to 12-½ round	•	SS12U	SS12P	CBO12	8 TO 9-½
14 ROUND BOLT-ON	13-½ to 14-½ round	•	SS14U	SS14P	CBO14	9 TO 10-½
16 ROUND BOLT-ON	15-½ to 16-½ round	•	SS16U	SS16P	CBO16	12 TO 13-½
18 ROUND BOLT-ON	17-½ to 18-½ round	•	SS18U	SS18P	CBO18	13 TO 14
8 X 20 OVAL	6-½ x 17 to 8-½ x 19	•	•	•	•	10 TO 10-½
8 X 17 OVAL	7-½ x 16-½ to 9-¼ x 18-¼	•	•	•	•	9 TO 10
9 X 21 OVAL	7-⅞ x 19-⅞ to 9-½ x 21-⅞	•	•	•	•	10-½ TO 11
10 X 17 OVAL	9-½ x 16-½ to 11 x 18-½	•	•	•	•	10-½ TO 11-½
13 X 17 OVAL/RECT	11-½ x 16-½ to 13-¼ x 18-½	•	•	•	•	11 TO 12
13 X 21 OVAL	12 x 20 to 13-½ x 22	•	•	•	•	13-½ TO 14
17 X 21 OVAL	16 x 20 to 17-½ x 22	•	•	•	•	15 TO 15-½
LEG KIT	USED TO CONVERT TO SLIP-IN	•	SSLK	SSLK	SSLK	1-½
LEG KIT (25 PACK)	USED TO CONVERT TO SLIP-IN	•	SSLK-M	SSLK-M	SSLK-M	38

IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

ANIMAL EXCLUSION // Single Flue Chimney Covers



DRAFT KING® // 5/8" MESH CHIMNEY COVERS

FOR USE ONLY WHEN REQUIRED BY LOCAL JURISDICTIONS

— BLACK POWDER COAT —



5/8" MESH



SSLK

LEG KIT

- › 100% 304 Stainless Steel
- › Used to Convert Draft King Covers to Slip-In Models
- › For Chimneys with Tile Extending Less than 1" Above Crown

FINISHES:




OUTSIDE TILE SIZE <i>L x W x H [in]</i>	FITS OUTSIDE TILE DIMENSION <i>[in]</i>	STAINLESS STEEL <i>Finish</i>	STAINLESS <i>Finish</i>	GALV. STEEL <i>Finish</i>	WEIGHT <i>lbs / Each</i>
5 X 9	3-½ x 7-½ to 5-½ x 9-½	•	•	•	5 TO 7
9 X 9	7-½ x 7-½ to 9-½ x 9-½	SSC99U	SSC99P	CBC99	6-½ TO 7
9 X 13	7-½ x 11-½ to 9-½ x 13-½	SSC913U	SSC913P	CBC913	8 TO 8-½
9 X 18	7-½ x 16-½ to 9-¼ x 18-¼	SSC817U	SSC817P	CBC817	9 TO 10
11 X 11	9-¾ x 9-¾ to 12 x 12	SSC1111U	SSC1111P	CBC1111	9 TO 10
12 X 16	10 x 14 to 12-½ x 16-¼	SSC1216U	SSC1216P	CBC1216	10-½ TO 12
13 X 13	11-½ x 11-½ to 13-½ x 13-½	SSC1313U	SSC1313P	CBC1313	9-½ TO 10
13 X 18	11-½ x 16-½ to 13-¼ x 18-¼	•	•	•	11 TO 12
15 X 15	13-¾ x 13-¾ to 16 x 16	SSC1515U	SSC1515P	CBC1515	11-½ TO 13-½
18 X 18	16-½ x 16-½ to 18 x 18	SSC1818U	SSC1818P	CBC1818	13 TO 14-½
20 X 20	18-½ x 18-½ to 20-¼ x 20-¼	SSC2020U	SSC2020P	CBC2020	14 TO 15-½
10 ROUND SLIP-IN	9-½ to 10-½ round	SSC811U	SSC811P	CBC811	7-½ TO 8-½
12 ROUND SLIP-IN	11-½ to 12-½ round	SSC813U	SSC813P	CBC813	9-½ TO 11
14 ROUND SLIP-IN	13-½ to 14-½ round	SSC815U	SSC815P	CBC815	10 TO 11-½
16 ROUND SLIP-IN	15-½ to 16-½ round	SSC816U	SSC816P	CBC816	10-½ TO 12
18 ROUND SLIP-IN	17-½ to 18-½ round	SSC818U	SSC818P	CBC818	11 TO 12-½
8 ROUND BOLT-ON	7-½ to 8-½ round	SSC8U	SSC8P	CBC8	5-½ TO 6
10 ROUND BOLT-ON	9-½ to 10-½ round	SSC10U	SSC10P	CBC10	6 TO 6-½
12 ROUND BOLT-ON	11-½ to 12-½ round	SSC12U	SSC12P	CBC12	8 TO 9-½
14 ROUND BOLT-ON	13-½ to 14-½ round	SSC14U	SSC14P	CBC14	9 TO 10-½
16 ROUND BOLT-ON	15-½ to 16-½ round	SSC16U	SSC16P	CBC16	12 TO 13-½
18 ROUND BOLT-ON	17-½ to 18-½ round	SSC18U	SSC18P	CBC18	13 TO 14
8 X 20 OVAL	6-½ x 17 to 8-½ x 19	SSC820U	SSC820P	CBC820	10 TO 10-½
8 X 17 OVAL	7-½ x 16-½ to 9-¼ x 18-¼	SSC817U	SSC817P	CBC817	9 TO 10
9 X 21 OVAL	7-½ x 19-½ to 9-½ x 21-½	SSC921U	SSC921P	CBC921	10-½ TO 11
10 X 17 OVAL	9-½ x 16-½ to 11 x 18-½	SSC1017U	SSC1017P	CBC1017	10-½ TO 11-½
13 X 17 OVAL/RECT	11-½ x 16-½ to 13-1/4 x 18-½	SSC1317U	SSC1317P	CBC1317	11 TO 12
13 X 21 OVAL	12 x 20 to 13-½ x 22	SSC1321U	SSC1321P	CBC1321	13-½ TO 14
17 X 21 OVAL	16 x 20 to 17-½ x 22	SSC1721U	SSC1721P	CBC1721	15 TO 15-½
LEG KIT	USED TO CONVERT TO SLIP-IN	SSLK	SSLK	SSLK	1-½
LEG KIT (25 PACK)	USED TO CONVERT TO SLIP-IN	SSLK-M	SSLK-M	SSLK-M	38

U • STAINLESS // P • BLACK POWDER COAT STAINLESS

Draft King® Big Top™

A HYC COMPANY



CBT



FEATURES // COPPER BIG TOP™

- › 24-Gauge Removable 100% Copper Hood with Scalloped Corners and Roll-Formed Edges
- › 24-Gauge Copper-Plated Stainless Steel Base Flanges Designed for Secure Mounting
- › 18-Gauge $\frac{3}{4}$ " 100% Copper Expanded Metal Mesh
- › Available in 9", 12", and 14" Heights
- › Optional Hinged Mounting Flanges (Special Order)
- › Available in Stock or Custom Sizes
- › Copper Covers Can be Used with Oil, Coal, or Wood/Pellet Heating Appliances
- › Limited Lifetime Warranty // Made in the USA



BT



FEATURES // STAINLESS STEEL BIG TOP™

- › 24-Gauge Removable 100% 304 Stainless Steel Hood with Scalloped Corners and Roll-Formed Edges
- › 24-Gauge 100% 304 Stainless Steel Base Flanges Designed for Secure Mounting
- › 18-Gauge $\frac{3}{4}$ " 100% 304 Stainless Steel Expanded Mesh
- › 18-Gauge $\frac{5}{8}$ " 100% 304 Stainless Steel Expanded Mesh // Use Only When Required by Local Codes
- › Available in 8", 10", and 14" Heights
- › Optional Hinged Mounting Flanges (BTH)
- › Available in Stock or Custom Sizes
- › Stainless Steel Covers Can be Used with Oil, Coal, or Wood/Pellet Heating Appliances
- › Limited Lifetime Warranty // Made in the USA



BBT



FEATURES // GALVANIZED STEEL BIG TOP™

- › 24-Gauge Removable Galvanized Steel Hood with Scalloped Corners and Roll-Formed Edges
- › 24-Gauge Galvanized Steel Base Flanges Designed for Secure Mounting
- › 18-Gauge $\frac{3}{4}$ " Galvanized Steel Expanded Mesh
- › 18-Gauge $\frac{5}{8}$ " Galvanized Steel Expanded Mesh // Use Only When Required by Local Codes
- › Available in 8", 10", and 14" Heights
- › Available in Stock or Custom Sizes
- › Attractive Black Powder Coat Finish
- › 7-Year Limited Warranty // Made in the USA

ANIMAL EXCLUSION // Multi-Flue Chimney Covers




DRAFT KING® // BIG TOP™ CHIMNEY COVERS

HEIGHTS: 9" COPPER, 8" STAINLESS STEEL, 8" GALVANIZED STEEL BLACK

SCREEN TO SCREEN [in]	HOOD SIZE [in]	COPPER Finish	STAINLESS STEEL Finish	STAINLESS STEEL HINGED Finish	GALV. STEEL BLACK Finish	WEIGHT lbs / Each
10 x 10	16 x 16	CBT1010	BT1010	BTH1010	BBT1010	8-½
10 x 14	15-¼ x 19-¼	CBT1014	BT1014	BTH1014	BBT1014	9
13 x 19	20-¼" x 25-¼"	CBT1319	BT1319	BTH1319	BBT1319	11-½
14 x 14	20-¼ x 20-¼	CBT1414	BT1414	BTH1414	BBT1414	10
17 x 17	25-¼ x 25-¼	CBT1717	BT1717	BTH1717	BBT1717	13
14 x 21	22-¼ x 34-½	CBT1421K	BT1421K	BTH1421K	BBT1421K	15-½
14 x 26	22-¼ x 34-½	CBT1426K	BT1426K	BTH1426K	BBT1426K	16
14 x 30	22-¼ x 34-½	CBT1430K	BT1430K	BTH1430K	BBT1430K	16-½
14 x 34	22-¼ x 46-½	CBT1434K	BT1434K	BTH1434K	BBT1434K	19-½
15 x 37	22-¼ x 46-½	CBT1537K	BT1537K	BTH1537K	BBT1537K	20
17 x 29	22-¼ x 34-½	CBT1729K	BT1729K	BTH1729K	BBT1729K	16-½
17 x 35	22-¼ x 46-½	CBT1735K	BT1735K	BTH1735K	BBT1735K	19
17 x 41	22-¼ x 46-½	CBT1741K	BT1741K	BTH1741K	BBT1741K	21
17 x 49	22-¼ x 58-¼	CBT1749K	BT1749K	BTH1749K	BBT1749K	22
17 x 53	22-¼ x 58-¼	CBT1753K	BT1753K	BTH1753K	BBT1753K	23
17 x 58	22-¼ x 69-¼	CBT1758K	BT1758K	BTH1758K	BBT1758K	27
17 x 64	22-¼ x 69-¼	CBT1764K	BT1764K	BTH1764K	BBT1764K	29


SHIPPED ASSEMBLED SHIPPED KNOCKED-DOWN (K) FOR OVERALL DIMENSIONS, ADD 2-1/2" TO LENGTH AND WIDTH MEASUREMENTS. KNOCKED-DOWN (K) units are pre-assembled to assure proper fit and ship knocked-down to reduce freight costs and risk of damage.

8"/9" HEIGHT TOOL-FREE CORNER DESIGN



- › Easy to Assemble Tab-and-Slot Corner Design
- › Hood Attaches to Base with Weld Bolts and Nuts: No Chance of Stripping-Out Threaded Holes
- › Hinged Mounting Flanges Available on Stainless Steel (BTH) and Copper (Special Order)
- › Provides a Clean, Professional Exclusion Solution

COPPER + STAINLESS AVAILABLE HEIGHTS



IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

ANIMAL EXCLUSION // Multi-Flue Chimney Covers



DRAFT KING® // BIG TOP™ CHIMNEY COVERS


HEIGHTS: 12" COPPER, 10" STAINLESS STEEL, 10" GALVANIZED STEEL BLACK

SCREEN TO SCREEN [in]	HOOD SIZE [in]	COPPER Finish	STAINLESS STEEL Finish	STAINLESS STEEL HINGED Finish	GALV. STEEL BLACK Finish	WEIGHT lbs / Each
10 x 10	16 x 16	CBT1010K-12W	BT1010K-10W	BTH1010K-10W	BBT1010K-10W	8-½
10 x 14	15-¼ x 19-¼	CBT1014K-12W	BT1014K-10W	BTH1014K-10W	BBT1014K-10W	9
13 x 19	20-¼" x 25-¼"	CBT1319K-12W	BT1319K-10W	BTH1319K-10W	BBT1319K-10W	11-½
14 x 14	20-¼ x 20-¼	CBT1414K-12W	BT1414K-10W	BTH1414K-10W	BBT1414K-10W	10
17 x 17	25-¼ x 25-¼	CBT1717K-12W	BT1717K-10W	BTH1717K-10W	BBT1717K-10W	13
14 x 21	22-¼ x 34-½	CBT1421K-12W	BT1421K-10W	BTH1421K-10W	BBT1421K-10W	15-½
14 x 26	22-¼ x 34-½	CBT1426K-12W	BT1426K-10W	BTH1426K-10W	BBT1426K-10W	16
14 x 30	22-¼ x 34-½	CBT1430K-12W	BT1430K-10W	BTH1430K-10W	BBT1430K-10W	16-½
14 x 34	22-¼ x 46-½	CBT1434K-12W	BT1434K-10W	BTH1434K-10W	BBT1434K-10W	19-½
15 x 37	22-¼ x 46-½	CBT1537K-12W	BT1537K-10W	BTH1537K-10W	BBT1537K-10W	20
17 x 29	22-¼ x 34-½	CBT1729K-12W	BT1729K-10W	BTH1729K-10W	BBT1729K-10W	16-½
17 x 35	22-¼ x 46-½	CBT1735K-12W	BT1735K-10W	BTH1735K-10W	BBT1735K-10W	19
17 x 41	22-¼ x 46-½	CBT1741K-12W	BT1741K-10W	BTH1741K-10W	BBT1741K-10W	21
17 x 49	22-¼ x 58-¼	CBT1749K-12W	BT1749K-10W	BTH1749K-10W	BBT1749K-10W	22
17 x 53	22-¼ x 58-¼	CBT1753K-12W	BT1753K-10W	BTH1753K-10W	BBT1753K-10W	23
17 x 58	22-¼ x 69-¼	CBT1758K-12W	BT1758K-10W	BTH1758K-10W	BBT1758K-10W	27
17 x 64	22-¼ x 69-¼	CBT1764K-12W	BT1764K-10W	BTH1764K-10W	BBT1764K-10W	29

SHIPPED ASSEMBLED SHIPPED KNOCKED-DOWN (K) FOR OVERALL DIMENSIONS, ADD 2-1/2" TO LENGTH AND WIDTH MEASUREMENTS.
KNOCKED-DOWN (K) units are pre-assembled to assure proper fit and ship knocked-down to reduce freight costs and risk of damage.

10"/12" HEIGHT TOOL-FREE CORNER DESIGN

BLACK GALVANIZED STEEL HEIGHTS



- › Easy to Assemble Tab-and-Slot Corner Design
- › Hood Attaches to Base with Weld Bolts and Nuts: No Chance of Stripping-Out Threaded Holes
- › Hinged Mounting Flanges Available on Stainless Steel (BTH) and Copper (Special Order)
- › Provides a Clean, Professional Exclusion Solution

8"

360° SPIN

8" Height
Black Galv. Steel

10"

360° SPIN

10" Height
Black Galv. Steel

14"

360° SPIN

14" Height
Black Galv. Steel

IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

ANIMAL EXCLUSION // Multi-Flue Chimney Covers




DRAFT KING® // BIG TOP™ CHIMNEY COVERS

HEIGHTS: 14" COPPER, 14" STAINLESS STEEL, 14" GALVANIZED STEEL BLACK

SCREEN TO SCREEN [in]	HOOD SIZE [in]	COPPER Finish	STAINLESS STEEL Finish	STAINLESS STEEL HINGED Finish	GALV. STEEL BLACK Finish	WEIGHT lbs / Each
10 x 10	16 x 16	CBT1010K-14W	BT1010K-14W	BTH1010K-14W	BBT1010K-14W	8-½
10 x 14	15-¼ x 19-¼	CBT1014K-14W	BT1014K-14W	BTH1014K-14W	BBT1014K-14W	9
13 x 19	20-¼" x 25-¼	CBT1319K-14W	BT1319K-14W	BTH1319K-14W	BBT1319K-14W	11-½
14 x 14	20-¼ x 20-¼	CBT1414K-14W	BT1414K-14W	BTH1414K-14W	BBT1414K-14W	10
17 x 17	25-¼ x 25-¼	CBT1717K-14W	BT1717K-14W	BTH1717K-14W	BBT1717K-14W	13
14 x 21	22-¼ x 34-½	CBT1421K-14W	BT1421K-14W	BTH1421K-14W	BBT1421K-14W	15-½
14 x 26	22-¼ x 34-½	CBT1426K-14W	BT1426K-14W	BTH1426K-14W	BBT1426K-14W	16
14 x 30	22-¼ x 34-½	CBT1430K-14W	BT1430K-14W	BTH1430K-14W	BBT1430K-14W	16-½
14 x 34	22-¼ x 46-½	CBT1434K-14W	BT1434K-14W	BTH1434K-14W	BBT1434K-14W	19-½
15 x 37	22-¼ x 46-½	CBT1537K-14W	BT1537K-14W	BTH1537K-14W	BBT1537K-14W	20
17 x 29	22-¼ x 34-½	CBT1729K-14W	BT1729K-14W	BTH1729K-14W	BBT1729K-14W	16-½
17 x 35	22-¼ x 46-½	CBT1735K-14W	BT1735K-14W	BTH1735K-14W	BBT1735K-14W	19
17 x 41	22-¼ x 46-½	CBT1741K-14W	BT1741K-14W	BTH1741K-14W	BBT1741K-14W	21
17 x 49	22-¼ x 58-¼	CBT1749K-14W	BT1749K-14W	BTH1749K-14W	BBT1749K-14W	22
17 x 53	22-¼ x 58-¼	CBT1753K-14W	BT1753K-14W	BTH1753K-14W	BBT1753K-14W	23
17 x 58	22-¼ x 69-¼	CBT1758K-14W	BT1758K-14W	BTH1758K-14W	BBT1758K-14W	27
17 x 64	22-¼ x 69-¼	CBT1764K-14W	BT1764K-14W	BTH1764K-14W	BBT1764K-14W	29

SHIPPED ASSEMBLED SHIPPED KNOCKED-DOWN (K) FOR OVERALL DIMENSIONS, ADD 2-1/2" TO LENGTH AND WIDTH MEASUREMENTS.
KNOCKED-DOWN (K) units are pre-assembled to assure proper fit and ship knocked-down to reduce freight costs and risk of damage.

14" HEIGHT TOOL-FREE CORNER DESIGN



- › Easy to Assemble Tab-and-Slot Corner Design
- › Hood Attaches to Base with Weld Bolts and Nuts: No Chance of Stripping-Out Threaded Holes
- › Hinged Mounting Flanges Available on Stainless Steel (BTH) and Copper (Special Order)
- › Provides a Clean, Professional Exclusion Solution

CUSTOM BIG TOP™ CHIMNEY COVERS

COVER TYPE Finish	MAX WIDTH [in]	MAX LENGTH [in]
Copper	40	88
Stainless	40	88
Black	40	96

- › All Units ≥ 32" Width Ship with a MINIMUM of 10" Mesh

AVAILABLE FINISHES:



IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

Draft King®

A **HYC** COMPANY



CUSTOM SKIRT TYPE // STAINLESS STEEL

100% 304 Stainless Steel: Durable and Dependable

- › Stainless Steel Maximum Base Size: 48" W x 96" L
- › Chimney Cover Hood Overhangs Masonry Approx. 1" on Both Sides and Ends
- › 4-³/₄" Skirt Protects Cement Crown from Deterioration Due to Weather
- › Limited Lifetime Warranty // Made in the USA



CUSTOM BAND AROUND // STAINLESS STEEL

100% 304 Stainless Steel: Durable and Dependable

- › Stainless Steel Maximum Base Size: 48" W x 96" L
- › Chimney Cover Hood Overhangs Masonry Approx. 3" on Both Sides and Ends
- › Chimney Cover Attaches Securely with a 2-¹/₄" Draw Band
- › Four Adjustable Corner Clamps Provide Flexibility for Proper Fit
- › Limited Lifetime Warranty // Made in the USA

CUSTOM SKIRT TYPE // COPPER

18-Gauge 100% Copper: Solid Elegance

- › Copper Maximum Base Size: 38" W x 88" L
- › Chimney Cover Hood Overhangs Masonry Approx. 1" on Both Sides and Ends
- › 4-³/₄" Skirt Protects Cement Crown from Deterioration Due to Weather
- › Limited Lifetime Warranty // Made in the USA



AVAILABLE FINISHES:




CALL 1-800-325-7076 FOR ORDERING ASSISTANCE

DRAFT KING® CUSTOM CHIMNEY COVER FEATURES

- › Enhance the Beauty of Your Home with Solid Copper: Match Copper Trim, Gutters, and Awnings
- › All Custom Chimney Covers are Shipped Knocked Down
- › All Units >32" Width will be Shipped with a Minimum of 12" Mesh
- › Arrests Sparks and Reduces Certain Downdrafts
- › Provides a Clean, Professional Exclusion Solution
- › Limited Lifetime Warranty: Stainless + Copper // Made in the USA

HOW TO MEASURE // STAINLESS STEEL SKIRT TYPE




- 1 Measure the outside dimension of all four sides of the top row of brick.
- 2 Measure the tile height from the top of the first row of brick, to the top of the tallest tile.

For Stainless Steel Skirt Type

Standard 8" braces and expanded metal mesh are used when flue tile height is 6-1/2" or less. If tile height is greater, refer to the adjacent flue tile diagram.

HOW TO MEASURE // STAINLESS STEEL BAND-AROUND




- 1 Measure the outside dimension of all four sides of the top row of brick.
- 2 Measure the tile height from the top of the first row of brick, to the top of the tallest tile.

For Stainless Steel Band-Around

Standard 9" braces and expanded metal mesh are used when flue tile height is 3-1/2" or less. If tile height is greater, refer to the adjacent flue tile diagram.

HOW TO MEASURE // COPPER SKIRT TYPE



- 1 Measure the outside dimension of all four sides of the top row of brick.
- 2 Measure the tile height from the top of the first row of brick, to the top of the tallest tile.

For Copper Skirt Type

Standard 9" expanded metal mesh is used when flue tile height is 5" or less. If tile height is greater, refer to the adjacent flue tile diagram.

IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL



Draft King®

A **HYC** COMPANY



U1313B34



U1320B34



U1313S34



U1320S34

GALVANIZED STEEL | 3/4 MESH

- › Galvanized Steel with Black Powder Coat Finish
- › 18-Gauge 3/4" Expanded Galvanized Steel Mesh
- › 7-Year Limited Warranty // Made in the USA

STAINLESS STEEL | 3/4 MESH

- › 100% 304 Stainless Steel
- › 18-Gauge 3/4" Expanded Stainless Steel Mesh
- › Limited Lifetime Warranty // Made in the USA



U1313B58



U1320B58



U1313S58



U1320S58

GALVANIZED STEEL | 5/8 MESH


- › Galvanized Steel with Black Powder Coat Finish
- › 18-Gauge 5/8" Expanded Galvanized Steel Mesh // Use Only When Required by Local Codes
- › 7-Year Limited Warranty // Made in the USA

STAINLESS STEEL | 5/8 MESH

- › 100% 304 Stainless Steel
- › 18-Gauge 5/8" Expanded Stainless Steel Mesh // Use Only When Required by Local Codes
- › Limited Lifetime Warranty // Made in the USA

UNIVERSAL™ CHIMNEY COVER FEATURES

- › Available Sizes: 13" x 13" and 13" x 20-1/2" // Available Multi-Packs of 5: (13" x 13") and 4 (13" x 20-1/2")
- › Expanded Metal Mesh Turned Inward at Base Allows Cover to Rest Firmly on Flue Tile, Closing Gaps
- › Secure Internal Anchoring System is Ideal for Windy Conditions
- › Can be Installed on Chimneys With and Without an Exposed Flue Tile
- › Removable Hood for Easy Cleaning
- › Commonly Used in California
- › Stainless Steel Damper Kits also Available (UD1313, UD1320)
- › Galvanized 7-Year Limited Warranty, Stainless Limited Lifetime Warranty
- › Ships Knocked-Down // Assembly Required // Made in the USA



INTERNAL ANCHORING SYSTEM



UNIVERSAL™ DAMPER KIT FEATURES

- › 100% 304 Stainless Steel
- › Kit Includes: High-Temperature Fiberglass Gasket, Damper Plate, Spring Assembly, and Steel Cable and Ball Chain with Weighted Handle for Easy Opening and Closing
- › Compatible with 13" x 13" and 13" x 20-½" Galvanized and Stainless Universal Chimney Covers
- › Ships Knocked-Down // Assembly Required
- › Made in the USA // Limited Lifetime Warranty




DAMPER OPEN



DAMPER CLOSED



DAMPER MECHANICS



DAMPER SEAL


ITEM NUMBER <i>SKU: Single // Multi</i>	SCREEN TO SCREEN <i>L x W [in]</i>	FINISH	MESH	CASE PACK <i>Quantity</i>	WEIGHT <i>[lbs]</i>
U1313B34 // U1313B34-5	13 x 13	Black Galvanized Steel	¾	1 // 5	8-½ // 42-½
U1313S34 // U1313S34-5	13 x 13	Stainless Steel	¾	1 // 5	8 // 40
U1313B58 // U1313B58-5	13 x 13	Black Galvanized Steel	5/8	1 // 5	8-½ // 42-½
U1313S58 // U1313S58-5	13 x 13	Stainless Steel	5/8	1 // 5	8 // 40
U1320B34 // U1320B34-4	13 x 20-½	Black Galvanized Steel	¾	1 // 4	9 // 36
U1320S34 // U1320S34-4	13 x 20-½	Stainless Steel	¾	1 // 4	8-½ // 34
U1320B58 // U1320B58-4	13 x 20-½	Black Galvanized Steel	5/8	1 // 4	9 // 36
U1320S58 // U1320S58-4	13 x 20-½	Stainless Steel	5/8	1 // 4	8-½ // 34
UD1313	13 x 13 Damper Kit	Stainless Steel	-	1	6
UD1320	13 x 20-½ Damper Kit	Stainless Steel	-	1	7

IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

AVAILABLE FINISHES:



ANIMAL EXCLUSION // Multi-Pack Chimney Covers



MPSS913



FEATURES

- › 18-Gauge 100% 304 Stainless Steel Base // $\frac{3}{4}$ " Stainless Steel Mesh
- › Removable 24-Gauge Stainless Steel Hood with Roll-Formed Edges
- › Easy Assembly! Lids Attach in Seconds with Wing Nuts and Weld Bolts to Prevent Stripping
- › Side Bolt-on Mounting with Pointed Stainless Steel Slotted Hex-Head Bolts and Weld Nuts
- › Space Saving Design and Packaging // Ships Nested in a 4-Pack Carton
- › Special Order 18-Gauge $\frac{5}{8}$ " 100% 304 Stainless Steel Expanded Metal Mesh When Required by Local Jurisdictions
- › Provides a Clean, Professional Exclusion Solution
- › Limited Lifetime Warranty // Made in the USA




ITEM NUMBER SKU	DIMENSIONS Fits Outside Tile [in]	CASE PACK Quantity	WEIGHT lbs / Each
MPSS99	7- $\frac{1}{2}$ x 7- $\frac{1}{2}$ to 9- $\frac{1}{2}$ x 9- $\frac{1}{2}$	4	22
MPSS913	7- $\frac{1}{2}$ x 11- $\frac{1}{2}$ to 9- $\frac{1}{2}$ x 13- $\frac{1}{2}$	4	28
MPSS918	7- $\frac{1}{2}$ x 16- $\frac{1}{2}$ to 9- $\frac{1}{4}$ x 18- $\frac{1}{4}$	4	34
MPSS1212	10- $\frac{1}{2}$ x 10- $\frac{1}{2}$ to 12- $\frac{1}{2}$ x 12- $\frac{1}{2}$	4	31
MPSS1313	10- $\frac{1}{2}$ x 11- $\frac{1}{2}$ to 13- $\frac{1}{2}$ x 13- $\frac{1}{2}$	4	34
MPSS1318	11- $\frac{1}{2}$ x 16- $\frac{1}{2}$ to 13- $\frac{1}{4}$ x 18- $\frac{1}{4}$	4	45

AVAILABLE FINISHES:




ANIMAL EXCLUSION // Liner Cap Chimney Covers



FEATURES

- › 24-Gauge 100% 304 Stainless Steel Hood and Base
- › 18-Gauge 100% 304 Stainless Steel Braces
- › 100% 304 Stainless Steel Gear-Drawn Clamp Band
- › Easily Mounted With 1- $\frac{1}{2}$ " Draw Band
- › Designed to Fit Both Rigid and Flexible Stainless Steel Liners, Clay Flue Liners, and Other Round Applications
- › Removable 18-Gauge $\frac{3}{4}$ " Expanded Stainless Steel Mesh
- › Removable 18-Gauge $\frac{5}{8}$ " Expanded Stainless Steel Mesh When Required by Local Codes
- › Welded Construction Ships Completely Assembled
- › Limited Lifetime Warranty
- › Made in the USA




ITEM NUMBER SKU	DIMENSIONS Fits Outside Tile [in]	CASE PACK Quantity	WEIGHT lbs / Each
LC4	3- $\frac{1}{2}$ " to 4- $\frac{1}{2}$ "	1	4
LC5	4- $\frac{1}{2}$ " to 5- $\frac{1}{2}$ "	1	4
LC6	5- $\frac{1}{2}$ " to 6- $\frac{1}{2}$ "	1	4
LC7	6- $\frac{1}{2}$ " to 7- $\frac{1}{2}$ "	1	4- $\frac{1}{4}$
LC8	7- $\frac{1}{2}$ " to 8- $\frac{1}{2}$ "	1	5
LC9	8- $\frac{1}{2}$ " to 9- $\frac{1}{2}$ "	1	5
LC10	9- $\frac{1}{2}$ " to 10- $\frac{1}{2}$ "	1	6- $\frac{1}{4}$
LC11	10- $\frac{1}{2}$ " to 11- $\frac{1}{2}$ "	1	6- $\frac{1}{2}$
LC12	11- $\frac{1}{2}$ " to 12- $\frac{1}{2}$ "	1	6- $\frac{1}{2}$
LC13	12- $\frac{1}{2}$ " to 13- $\frac{1}{2}$ "	1	6- $\frac{1}{2}$
LC14	13- $\frac{1}{2}$ " to 14- $\frac{1}{2}$ "	1	6- $\frac{1}{2}$

AVAILABLE FINISHES:





Draft King®

A HYC COMPANY



FEATURES


- › Available in 22-Gauge 304 Stainless Steel or 22-Gauge Galv. Steel
- › Stainless Steel, Black or White Powder Coat Finish
- › Custom Built to Ensure Proper Fit
- › Cross Break to Shed Water and Provide Stability
- › Drip Edge on All Sides
- › Corners are Welded for Superior Strength
- › Protects Home from Animal Intrusion and Water Damage
- › Helps Maintain Safe Operation of Fireplace
- › Provides a Clean, Professional Exclusion Solution
- › Limited Lifetime Warranty, Stainless // 7-Year Limited Warranty, Galvanized // Made in the USA




HOW TO MEASURE

Custom Chase Covers: Protecting Homes for Decades!

- › Measure to the nearest 1/8".
- › Measure the perimeter of the chimney, beginning with the longest side and going clockwise [A+B+C+D].
- › Measure the desired height of the skirt [3" is standard].
- › Measure the diameter of the hole, or each hole if there are more than one.
- › Measure the distance from the edge of each hole to each of the four sides. [E1, E2, E3, E4, F1, F2 ...]
- › If a storm collar is needed, measure the outside diameter of each pipe [2" is standard].



Single Flue



Double Flue

IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

AVAILABLE FINISHES:



CALL 1-800-325-7076 FOR ORDERING ASSISTANCE